

GRUNT

INSTALLATION INSTRUCTIONS TOYOTA HILUX SLOW DOWN EASY UP STRUTS
PART NUMBER: GUDSTH15SR5



1: Remove tailgate strap bolt *see page 3



2: Remove body strap bolt *see page 3



3: Remove the two tail light bolts followed by the light assembly



4: Factory hole that the DOWN strut mounts to



5: Insert the strut & strap through the hole as shown placing the thin washer against the body



6: Place the thicker washer on the back followed by the friction nut then tighten

THESE INSTRUCTIONS ARE A GUIDE WE ALWAYS RECOMMEND BEING INSTALLED BY A PROFESSIONAL & TAKE NO RESPONSIBILITY FOR DAMAGE CAUSED BY INCORRECT FITMENT OF THE PRODUCT TO YOUR VEHICLE

GRUNT

INSTALLATION INSTRUCTIONS TOYOTA HILUX SLOW DOWN EASY UP STRUTS
PART NUMBER: GUDSTH15SR5



7: Remove factory bolt as shown



8: Replace with new bolt provided
placing thin washer against the tailgate first



9: Remove the tailgate hinge bolt closest to the
body *see notes on page 3



10: Install the strut as shown then replace and
tighten the bolt



11: Remove the rubber steel strap locator from
the tailgate



12: Remove the rubber steel strap locator from
the body

**THESE INSTRUCTIONS ARE A GUIDE WE ALWAYS RECOMMEND BEING INSTALLED BY
A PROFESSIONAL & TAKE NO RESPONSIBILITY FOR DAMAGE CAUSED BY
INCORRECT FITMENT OF THE PRODUCT TO YOUR VEHICLE**

GRUNT

INSTALLATION INSTRUCTIONS TOYOTA HILUX SLOW DOWN EASY UP STRUTS
PART NUMBER: GUDSTH15SR5



13: Install the cable locating rubber 130mm back from the body as pictured



14: Repeat the process on the passenger side for the EASY UP strut removing the spacer once installed

*** In some cases these bolts can prove difficult to remove this is why we recommend installation to be completed by a professional**



THESE INSTRUCTIONS ARE A GUIDE WE ALWAYS RECOMMEND BEING INSTALLED BY A PROFESSIONAL & TAKE NO RESPONSIBILITY FOR DAMAGE CAUSED BY INCORRECT FITMENT OF THE PRODUCT TO YOUR VEHICLE