

# **RACKS** **BRAX.**

## **COMPATIBILITY POCKET GUIDE**

**FOR**



**RHINO-RACK®**

**MAKE SPACE FOR ADVENTURE**

**FAST ON!  
FAST OFF!**

AWNING AND ACCESSORY  
MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW  
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

**RHINO-RACK® BATWING** (Left/Right) ..... 3

**RHINO-RACK® BATWING 180 FREESTANDING** 2.2m ..... 4

**RHINO-RACK® BATWING 270 FREESTANDING** 2.2m (Left/Right)..... 5

**RHINO-RACK® BATWING COMPACT** (Left/Right) ..... 6

**RHINO-RACK® SHOWER TENT** 1.1m ..... 7

**RHINO-RACK® SUNSEEKER** 2.0m..... 8

**RHINO-RACK® SUNSEEKER** 2.5m..... 9

**RHINO-RACK® SUNSEEKER FREESTANDING** 2.2m..... 10

## RHINO-RACK® BATWING *(Left/Right)*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ADAPTOR NEEDED	8192 – HD Awning Adaptor Plate (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM RHINO-RACK® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>
	8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# RHINO-RACK® BATWING 180 FREESTANDING 2.2m

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM RHINO-RACK® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# RHINO-RACK® BATWING 270 FREESTANDING 2.2m

(Left/Right)

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

## BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM RHINO-RACK® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)	9101 – XD Adjustable Brackets Short (TRIPLE)*; <b>OR</b>  9105 – XD Side Twist Bracket Short Foot (TRIPLE)*.
✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)	9103 – XD Adjustable Brackets Long (TRIPLE)*; <b>OR</b>  9107 – XD Side Twist Bracket Long Foot (TRIPLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ <b>LOCKED GARAGES</b> ✓ <b>WORKSHOP WALLS</b>
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ <b>OPEN CARPORTS</b> ✓ <b>PUBLIC/SHARED GARAGE AREA</b>

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## RHINO-RACK® BATWING COMPACT *(Left/Right)*

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ADAPTOR NEEDED	8192 – HD Awning Adaptor Plate (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM RHINO-RACK® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

RHINO-RACK® SHOWER TENT 1.1m

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8202 – HD Hitch Series 33 (DOUBLE)*
ALSO WORKS WITH	8204*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM RHINO-RACK® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>
	8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE [PACKERS](#) TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts <sup>+</sup>
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts <sup>+</sup>
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

## RHINO-RACK® SUNSEEKER 2.0m

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM RHINO-RACK® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH <b>TRANSVERSE SLATS</b> (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH <b>LONGITUDINAL SLATS</b> (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts*
✓ LOCKED GARAGES ✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts*
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	

\*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.



## RHINO-RACK® SUNSEEKER 2.5m

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

### BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM RHINO-RACK® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8304 – HD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; <b>OR</b>  8306 – HD Adjustable Brackets Long (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

### WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	8160 – HD Wall Mounts*
✓ LOCKED GARAGES ✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts*
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	

\*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.

# RHINO-RACK® SUNSEEKER FREESTANDING 2.2m

## HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

\*WILL ALSO WORK WITH THE TRIPLE VERSION.

## BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM RHINO-RACK® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BARS OR PLATFORM STYLES WITH TRANSVERSE SLATS (WITH NO PERIMETER LIP)	9100 – XD Adjustable Brackets Short (DOUBLE)*; <b>OR</b>  9104 – XD Side Twist Bracket Short Foot (DOUBLE)*.
✓ FOR PLATFORM STYLES WITH LONGITUDINAL SLATS (WITH NO PERIMETER LIP)	9102 – XD Adjustable Brackets Long (DOUBLE)*; <b>OR</b>  9106 – XD Side Twist Bracket Long Foot (DOUBLE)*.

\*ROOF RACKS WITH PERIMETER LIPS REQUIRE **PACKERS** TO FIT RACKSBRAX BRACKETS (SOLD SEPARATELY). REFER TO [ROOF RACK GUIDE](#) FOR MORE INFORMATION ON RACKS WITH PERIMETER LIPS.

## WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT IN USE.
SECURED LOCATION	9010 – XD Wall Mounts <sup>+</sup>  ✓ LOCKED GARAGES ✓ WORKSHOP WALLS
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts <sup>+</sup>  ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA

<sup>+</sup>NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these are for static wall use ONLY.