

RACKS BRAX.®

COMPATIBILITY POCKET GUIDE

FOR

Alu-Cab™

ULTIMATE OVERLAND PRODUCTS

FAST ON!
FAST OFF!

AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

ALU-CAB® 180 SHADOW 2.6m 3

ALU-CAB® 270 SHADOW 2m, 2.6m 4

ALU-CAB® SHOWER CUBE 5



ALU-CAB® 180 SHADOW 2.6m

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*
ADAPTOR NEEDED	9120 – XD Awning Connector (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	BRACKETS FROM ALU-CAB® WILL WORK WITH THE XD HITCH RANGE, INCLUDING ALU-CAB® ROOFTOP TENT BRACKETS.
<ul style="list-style-type: none"> ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	9100 – XD Adjustable Brackets Short (DOUBLE)*; or 9102 – XD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	9010 – XD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	9011 – XD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.



ALU-CAB® 270 SHADOW 2m, 2.6m**HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*
ADAPTOR NEEDED	9120 – XD Awning Connector (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	BRACKETS FROM ALU-CAB® WILL WORK WITH THE XD HITCH RANGE, INCLUDING ALU-CAB® ROOFTOP TENT BRACKETS.
<ul style="list-style-type: none"> ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	9100 – XD Adjustable Brackets Short (DOUBLE)*; or 9102 – XD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	9010 – XD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	9011 – XD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

ALU-CAB® SHOWER CUBE

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	BRACKETS FROM ALU-CAB® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP)	8300 – HD L50 L Brackets (DOUBLE)*; OR
✓ FOR BAR-STYLE	8304 – HD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP)	8306 – HD Adjustable Brackets Long (DOUBLE)*.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	8160 – HD Wall Mounts ⁺
✓ LOCKED GARAGES ✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.