

RACKS BRAX.[®]

COMPATIBILITY POCKET GUIDE

FOR



*FAST ON!
FAST OFF!*

AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

- SUPA PEG® OUTBOUND 180 WING 2.1m** 3
- SUPA PEG® OUTBOUND RAPID 4 DELUXE 2.4m Valance V2** 4
- SUPA PEG® OUTBOUND RAPID 6 DELUXE 2.4m Valance V2** 5
- SUPA PEG® OUTBOUND SHIELD 3** 6
- SUPA PEG® OUTBOUND SHIELD 6** 7
- SUPA PEG® OUTBOUND STAND EASY REAR ERV 1.3m**..... 8
- SUPA PEG® OUTBOUND STAND EASY ERV 2m, 2.5m**..... 9
- SUPA PEG® OUTBOUND SUPA WING 3.6m Valance** 10
- SUPA PEG® OUTBOUND SUPA WING 4.2m Valance**..... 11



SUPA PEG® OUTBOUND 180 WING 2.1m

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8179 – HD Hitch (SUPA PEG MODEL)*
ALSO WORKS WITH	8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> ✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP) ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	8300 – HD L50 L Brackets (DOUBLE)*; OR 8304 – HD Adjustable Brackets Short (DOUBLE)*; OR 8306 – HD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	8160 – HD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	8161 – HD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

SUPA PEG® OUTBOUND RAPID 4 DELUXE 2.4m Valance

V2

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8179 – HD Hitch (SUPA PEG MODEL)*
ALSO WORKS WITH	8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> ✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP) ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	8300 – HD L50 L Brackets (DOUBLE)*; OR 8304 – HD Adjustable Brackets Short (DOUBLE)*; OR 8306 – HD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	8160 – HD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	8161 – HD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

SUPA PEG® OUTBOUND RAPID 6 DELUXE 2.4m Valance

V2

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	8183 – HD Hitch (TRIPLE) (SUPA PEG MODEL)
ALSO WORKS WITH	8181

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP)	8301 – HD L50 L Brackets (TRIPLE); OR
✓ FOR BAR-STYLE	8305 – HD Adjustable Brackets Short (TRIPLE); OR
✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP)	8307 – HD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	8160 – HD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

SUPA PEG® OUTBOUND SHIELD 3

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*
ADAPTOR NEEDED	9114 – XD Multi-Awn Adaptor (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	9100 – XD Adjustable Brackets Short (DOUBLE)*; or 9102 – XD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	9010 – XD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	9011 – XD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.



SUPA PEG® OUTBOUND SHIELD 6

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)
ADAPTOR NEEDED	9115 – XD Multi-Awn Adaptor (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE XD HITCH RANGE.
<ul style="list-style-type: none"> ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	9101 – XD Adjustable Brackets Short (TRIPLE); OR 9103 – XD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	9010 – XD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	9011 – XD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

SUPA PEG® OUTBOUND STAND EASY REAR ERV ^{1.3m}

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8179 – HD Hitch (SUPA PEG MODEL)*
ALSO WORKS WITH	8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> ✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP) ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	8300 – HD L50 L Brackets (DOUBLE)*; OR 8304 – HD Adjustable Brackets Short (DOUBLE)*; OR 8306 – HD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	8160 – HD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	8161 – HD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

SUPA PEG® OUTBOUND STAND EASY ERV 2m, 2.5m

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	2
HITCHES NEEDED	8179 – HD Hitch (SUPA PEG MODEL)*
ALSO WORKS WITH	8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> ✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP) ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	8300 – HD L50 L Brackets (DOUBLE)*; OR 8304 – HD Adjustable Brackets Short (DOUBLE)*; OR 8306 – HD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	8160 – HD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	8161 – HD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

SUPA PEG® OUTBOUND SUPA WING *3.6m Valance*

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	8183 – HD Hitch (TRIPLE) (SUPA PEG MODEL)
ALSO WORKS WITH	8181

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> ✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP) ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	8301 – HD L50 L Brackets (TRIPLE); OR 8305 – HD Adjustable Brackets Short (TRIPLE); OR 8307 – HD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	8160 – HD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	8161 – HD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

SUPA PEG® OUTBOUND SUPA WING *4.2m Valance*

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS	3
HITCHES NEEDED	8183 – HD Hitch (TRIPLE) (SUPA PEG MODEL)
ALSO WORKS WITH	8181

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM SUPA PEG® WILL WORK WITH THE HD HITCH RANGE.
<ul style="list-style-type: none"> ✓ FOR BAR OR PLATFORM-STYLE (WITH NO PERIMETER LIP) ✓ FOR BAR-STYLE ✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 	8301 – HD L50 L Brackets (TRIPLE); OR 8305 – HD Adjustable Brackets Short (TRIPLE); OR 8307 – HD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION <ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	8160 – HD Wall Mounts ⁺
UNSECURED LOCATION <ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	8161 – HD Lockable Wall Mounts ⁺

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.