

# COMPATIBILITY POCKET GUIDE





# AWNING AND ACCESSORY MODELS

CLICK OR TAP ON AN AWNING/ACCESSORY BELOW
TO TAKE YOU TO THE PAGE TO FIND OUT WHAT YOU NEED

BUNDUTEC® BUNDUAWN 360 HYBRID (CUSTOM) 2.45m, 2.95m	3
BUNDUTEC® BUNDUAWN HALF WING (4-ARM) 2.45m (AU & US only)	4
BUNDUTEC® BUNDUAWN L-SHAPE 270 (SQUARE BACK) 2.45m, 2.75m	5
BUNDUTEC® BUNDUAWN L-SHAPE 270 2.45m, 2.95m	6
BUNDUTEC® BUNDUAWN STANDARD 360 2.45m. 2.95m	7



# **BUNDUTEC® BUNDUAWN 360 HYBRID (CUSTOM)**

2.45m, 2.95m

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

#### **HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 3

HITCHES NEEDED 9001 – XD Hitch (TRIPLE)

#### **BRACKETS OPTIONAL**

MOUNTING POINTS 3

**BRACKETS NEEDED** 

✓ FOR BAR-STYLE 9101 – XD Adjustable Brackets Short (TRIPLE); OR

✓ FOR PLATFORM-STYLE 9103 – XD Adjustable Brackets Long (TRIPLE).

#### WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.

SECURED LOCATION 9010 – XD Wall Mounts<sup>+</sup>

✓ LOCKED GARAGES

✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts<sup>+</sup>

✓ OPEN CARPORTS

**✓** PUBLIC/SHARED GARAGE AREA



# **BUNDUTEC® BUNDUAWN HALF WING (4-ARM)**

2.45m (AU & US only)

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

#### **HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**

MOUNTING POINTS 3

HITCHES NEEDED 9001 – XD Hitch (TRIPLE)

#### **BRACKETS OPTIONAL**

MOUNTING POINTS 3

**BRACKETS NEEDED** 

✓ FOR BAR-STYLE 9101 – XD Adjustable Brackets Short (TRIPLE); OR

✓ FOR PLATFORM-STYLE 9103 – XD Adjustable Brackets Long (TRIPLE).

#### WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.

SECURED LOCATION 9010 – XD Wall Mounts<sup>+</sup>

✓ LOCKED GARAGES
✓ WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts<sup>+</sup>

✓ OPEN CARPORTS

**✓** PUBLIC/SHARED GARAGE AREA



# BUNDUTEC® BUNDUAWN L-SHAPE 270 (SQUARE BACK) 2.45m, 2.75m

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS 3

HITCHES NEEDED 9001 – XD Hitch (TRIPLE)

#### **BRACKETS OPTIONAL**

MOUNTING POINTS 3

**BRACKETS NEEDED** 

✓ FOR BAR-STYLE 9101 – XD Adjustable Brackets Short (TRIPLE); OR

✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 9103 – XD Adjustable Brackets Long (TRIPLE).

#### WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.

SECURED LOCATION 9010 – XD Wall Mounts<sup>+</sup>

✓ LOCKED GARAGES

**✓** WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts<sup>+</sup>

**✓** OPEN CARPORTS

**✓ PUBLIC/SHARED GARAGE AREA** 



### **BUNDUTEC® BUNDUAWN L-SHAPE 270** 2.45m, 2.95m

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

#### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS 3

HITCHES NEEDED 9001 – XD Hitch (TRIPLE)

#### **BRACKETS OPTIONAL**

MOUNTING POINTS 3

**BRACKETS NEEDED** 

✓ FOR BAR-STYLE

9101 – XD Adjustable Brackets Short (TRIPLE); or

✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 9103 – XD Adjustable Brackets Long (TRIPLE).

#### WALL MOUNTS OPTIONAL

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.

SECURED LOCATION 9010 - XD Wall Mounts<sup>+</sup>

✓ LOCKED GARAGES

**✓** WORKSHOP WALLS

UNSECURED LOCATION 9011 – XD Lockable Wall Mounts<sup>+</sup>

**✓** OPEN CARPORTS

**✓ PUBLIC/SHARED GARAGE AREA** 

\*NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

RB-REF-014M - Bundutec Rev 0 (March 2023)



# **BUNDUTEC® BUNDUAWN STANDARD 360** 2.45m, 2.95m

BUNDUTEC AWNING SPINES (BACK PLATE) HAS NO MOUNTING CHANNELS OR DRILLED HOLES FOR BRACKETS OR HITCHES. THESE NEED TO BE DRILLED TO SUIT BRACKETS OR HITCHES USING BUNDUTEC FITMENT SHEET.

#### HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!

MOUNTING POINTS 3

HITCHES NEEDED 9001 – XD Hitch (TRIPLE)

#### **BRACKETS OPTIONAL**

MOUNTING POINTS 3

BRACKETS NEEDED SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD

HITCH RANGE.

✓ FOR BAR-STYLE 9101 – XD Adjustable Brackets Short (TRIPLE); OR

✓ FOR PLATFORM-STYLE (WITH NO PERIMETER LIP) 9103 – XD Adjustable Brackets Long (TRIPLE).

#### **WALL MOUNTS OPTIONAL**

BENEFITS ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR

VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.

SECURED LOCATION 9010 - XD Wall Mounts<sup>+</sup>

✓ LOCKED GARAGES

**✓** WORKSHOP WALLS

UNSECURED LOCATION 9011 - XD Lockable Wall Mounts<sup>+</sup>

**✓** OPEN CARPORTS

**✓ PUBLIC/SHARED GARAGE AREA**