

RACKS BRAX.®

COMPATIBILITY POCKET GUIDE

FOR

DARCHE®

FAST ON!
FAST OFF!

AWNING AND ACCESSORY MODELS

DARCHE® ECLIPSE CUBE SHOWER TENT	3
DARCHE® ECLIPSE SLIMLINE 2 x 2.5m	4
DARCHE® ECLIPSE SLIMLINE 2.5 x 2.5m	5
DARCHE® ECLIPSE 180	6
DARCHE® ECLIPSE 180 Gen 2	7
DARCHE® ECLIPSE 180 Versatile	8
DARCHE® ECLIPSE 270	9
DARCHE® ECLIPSE 270 G2 (right/left)	10
DARCHE® KOZI ALL-ROUNDER 1.8m	11
DARCHE® KOZI 2 x 2.5m	12
DARCHE® KOZI 270	13

DARCHE® ECLIPSE CUBE SHOWER TENT

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!™

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BAR OR PLATFORM-STYLE	8300 – HD L50 L Brackets (DOUBLE)*; OR
✓ FOR BAR-STYLE	8304 – HD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM-STYLE	8306 – HD Adjustable Brackets Long (DOUBLE)*.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	8160 – HD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® ECLIPSE SLIMLINE 2 x 2.5m

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**™

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BAR OR PLATFORM-STYLE	8300 – HD L50 L Brackets (DOUBLE)*; OR
✓ FOR BAR-STYLE	8304 – HD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM-STYLE	8306 – HD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	8160 – HD Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® ECLIPSE SLIMLINE 2.5 x 2.5m**HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**™

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BAR OR PLATFORM-STYLE	8300 – HD L50 L Brackets (DOUBLE)*; OR
✓ FOR BAR-STYLE	8304 – HD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM-STYLE	8306 – HD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	8160 – HD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® ECLIPSE 180

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!™**

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BAR-STYLE	9100 – XD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM-STYLE	9102 – XD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® ECLIPSE 180 *Gen 2*

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**™

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BAR-STYLE	9100 – XD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM-STYLE	9102 – XD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® ECLIPSE 180 *Versatile*

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**™

MOUNTING POINTS	2
HITCHES NEEDED	9000 – XD Hitch (DOUBLE)*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BAR-STYLE	9100 – XD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM-STYLE	9102 – XD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® ECLIPSE 270

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!™

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BAR-STYLE	9101 – XD Adjustable Brackets Short (TRIPLE); OR
✓ FOR PLATFORM-STYLE	9103 – XD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® ECLIPSE 270 *G2 (right/left)***HITCHES** REQUIRED MINIMUM FOR **FAST ON, FAST OFF!**™

MOUNTING POINTS	3
HITCHES NEEDED	9001 – XD Hitch (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BAR-STYLE	9101 – XD Adjustable Brackets Short (TRIPLE); OR
✓ FOR PLATFORM-STYLE	9103 – XD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	9010 – XD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	9011 – XD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® KOZI ALL-ROUNDER 1.8m

NOT COMPATIBLE

DARCHE® KOZI 2 x 2.5m

HITCHES REQUIRED MINIMUM FOR **FAST ON, FAST OFF!™**

MOUNTING POINTS	2
HITCHES NEEDED	8159 – HD Hitch Standard*
ALSO WORKS WITH	8162*, 8180*

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

BRACKETS OPTIONAL

MOUNTING POINTS	2
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE HD HITCH RANGE.
✓ FOR BAR OR PLATFORM-STYLE	8300 – HD L50 L Brackets (DOUBLE)*; OR
✓ FOR BAR-STYLE	8304 – HD Adjustable Brackets Short (DOUBLE)*; OR
✓ FOR PLATFORM-STYLE	8306 – HD Adjustable Brackets Long (DOUBLE)*.

*WILL ALSO WORK WITH THE TRIPLE VERSIONS OF EACH IF YOU ALREADY HAVE/ARE MORE COMFORTABLE WITH 3 MOUNTING POINTS ON YOUR VEHICLE.

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	8160 – HD Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ LOCKED GARAGES ✓ WORKSHOP WALLS 	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
<ul style="list-style-type: none"> ✓ OPEN CARPORTS ✓ PUBLIC/SHARED GARAGE AREA 	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.

DARCHE® KOZI 270

HITCHES REQUIRED MINIMUM FOR FAST ON, FAST OFF!™

MOUNTING POINTS	3
HITCHES NEEDED	8182 – HD Hitch (TRIPLE)
ADAPTOR NEEDED	8193 – HD Adaptor Plate (TRIPLE)

BRACKETS OPTIONAL

MOUNTING POINTS	3
BRACKETS NEEDED	SUPPLIED BRACKETS FROM DARCHE® WILL WORK WITH THE XD HITCH RANGE.
✓ FOR BAR OR PLATFORM-STYLE	8301 – HD L50 L Brackets (TRIPLE); OR
✓ FOR BAR-STYLE	8305 – HD Adjustable Brackets Short (TRIPLE); OR
✓ FOR PLATFORM-STYLE	8307 – HD Adjustable Brackets Long (TRIPLE).

WALL MOUNTS OPTIONAL

BENEFITS	ALLOWS YOU TO REMOVE YOUR ROOF RACK ACCESSORY FROM YOUR VEHICLE SO THAT IT CAN BE FIXED TO A WALL WHEN NOT USING IT.
SECURED LOCATION	8160 – HD Wall Mounts ⁺
✓ LOCKED GARAGES	
✓ WORKSHOP WALLS	
UNSECURED LOCATION	8161 – HD Lockable Wall Mounts ⁺
✓ OPEN CARPORTS	
✓ PUBLIC/SHARED GARAGE AREA	

⁺NOTE: You cannot use Wall Mounts to mount anything to the vehicle – these were intended for static wall use ONLY.